

ADDENDUM 2

DLR GROUP
421 SW 6th Ave, Suite 1212
Portland, OR 97204
Tel (503) 274-2675
Fax (503) 274-0313

May 19, 2017

NOTICE: Amend the Project Manual and Drawings to the above referenced project as follows:

PROJECT MANUAL VOLUME 1

ITEM NO. 1 DOCUMENT 003126 – EXISTING HAZARDOUS MATERIAL INFORMATION

A. Modify Paragraph C to read as follows:

1. “C. Owner to provide a Regulated Material Report identifying areas of lead based paint and recommendations of abatement procedures to comply with EPA rule 40 CFR Part 745, Subpart E. This report will be available post bid. Contract will be negotiated as a separate contract.”

ITEM NO. 2 DOCUMENT 004000 – INSTRUCTIONS TO BIDDERS

- A. Under Article IB.02.4 Pre-Bid Conference, add Paragraph 1 to read as follows:
1. “.1 Additional Site Walkthroughs: Bidders may request additional on-site walkthroughs by contacting Chris Meyer at cmeyer@junctioncity.k12.or.us or 541-554-8164 (text or call is preferred over email). All questions asked during walkthroughs need to be formally issued in writing to edelorme@dlrgroup.com and will be answered via future addenda.”

ITEM NO. 3 SECTION 090190.52 – MAINTENANCE REPAINTING

- A. After Article 1.8 MAINTENANCE MATERIAL SUBMITTAL, insert Article 1.9, to read as follows:
1. “1.9 QUALIFICATIONS

A. Contractor to have certification for lead based painting procedures to comply with Section 003126 EXISTING HAZARDOUS MATERIAL INFORMATION.”
- B. Renumber subsequent articles accordingly.

DRAWINGS VOLUME 1

ITEM NO. 4 SCOPE OUTLINE PACKAGE

- A. Modify Laurel Elementary School bid package dated 5/9/2017 as follows:
1. Delete all instances of note reading “Lead paint to be removed or sealed; repaint to match existing color, TYP.”
 2. Replace with note reading “Lead paint - See specifications section 003126 – Existing Hazardous Material Information.”

END OF ADDENDUM 2